





With your Leica LINO™ L2 everything will be straight

The quality of the optics is crucial for the remarkable visibility and high accuracy of the lines projected. This quality and Power Range Technology™ are key features of the Leica LINO™ L2.



The Leica LINO™ L2 projects lines accurate to the millimetre while you have your hands free to get on with your work. A great help.

The Leica LINOTM L2 automatically compensates for minor angular misalignments over a range of \pm 4°.

Whether horizontal, vertical or crossed – the red lines are perfectly visible everywhere on the wall.



Extremely easy and intuitive to operate.



Leica LINO™L2

You can rely on its sharp lines

The time-consuming and tedious drawing of lines on the wall is a thing of the past. The Leica LINO™ L2 projects exactly, quickly and easily – allowing you to concentrate on the job in hand.

Pulse function — with power-saving mode: Essential for applications outdoors with detector (accessory) and projections over longer distances.

Modern, ergonomic housing: Dust-proof and splash-proof to IP54.

Lock function: Lock for projecting at an angle and transport protection.



Self-levelling

It is not necessary to tediously align the device to obtain horizontal or vertical lines. Minor angular misalignments of \pm 4° are compensated automatically. If the angular misalignment is greater, the device does not project any lines. Errors are prevented



Very easy to see laser lines

It is possible, e.g., to transfer reference points from one wall to the next. Leave your spirit level and string in your tool box.



Exact 90° angle

Alignment work, such as marking 90° angles, is performed at the touch of a button. You really save time!



- Large glass lens:

Very easy to use:

With only two buttons the Leica LINO TM L2 is intuitive to operate.

With optimal emergence angle. Ensures remarkable visibility and extent of the laser lines.

Lock function

You can manually switch off the self-levelling using the lock function. The laser line can then be projected at any angle.





Leica LINO™L2

The self-levelling precision line-laser

Equipment: practical and clever

Pouch

Everything safely packed away.

Target plate

Provides a projection surface in an open space.

Magnetic multifunction adapter

Can be used as small tripod or as wall bracket.







Recommended original accessories

Detector Stock no. 758448

Provides an acoustic/optical signal. For finding the line outdoors.



Wall bracket Stock no. 758839

Of universal application thanks to screw fastening.



Leica tripod TRi 100 Stock no. 757938

Quality tripod with very easy fine adjustment.



Leica LINO™L2

Simply perfect - all along the line





Technical data	Leica LINO™ L2
Range	Up to 15 m (dependent on the lighting conditions) >30 m with detector
Levelling accuracy	± 1 mm @ 5 m
Self-levelling range	4° ± 0.5°
Horizontal accuracy	± 1 mm @ 5 m
Vertical accuracy	± 0.75 mm @ 3 m line length
Laser type	635 nm, laser class II
Battery type	AA, 3 x 1.5 V
IP54	Protected against dust, splashes
Operating temperature	-10°C to 40°C
Storage temperature	-25°C to 70°C
Size (H x D x W)	96 x 91 x 54 mm
Weight (without batteries)	320 g
Tripod screw	1/4"



Laser class 2 in accordance with IEC 608251 and EN 608251

Figures, descriptions and technical data for information only; subject to change. Printed in Switzerland. Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2007

A Leica LINO™ L2 contains Leica DISTO™ quality!

In 1993 Leica Geosystems AG invented the first hand-held lasermeter. We now have the largest range of laser distance measuring equipment.





















Jürgen Lippmann (Kitchen installer)

"The Leica LINO™ L2 gives me perfect and highly visible straight lines, every time at the push of a button and allows me to have my hands free when working. Every kitchen is perfect."

Dealer Stamp

Semra Kaya (Gallery owner)

"Pictures not straight? Now, a thing of the past as far as I am concerned. The Leica LINO™ L2 projects a very clear and bright straight line that can be straightforwardly transferred to the opposite walls."

Dave Andrews (Plumber)

"Whether on the floor, on the wall or overhead, my pipes are now all perfectly aligned. Exact hanging is also child's play with the Leica LINO™ L2."

www.disto.com

